

Immunizations

Effective Date: 7/22/20, updated 9/11/20

Status: Revised Position Statement

Written By: Nursing Practice & Work Environment Department and LT. Steven G. Pochop, Jr. ANA member

Adopted By: ANA Board of Directors

This position statement supersedes the Position Statement on Immunizations, July 21, 2015.

I. PURPOSE

Historically, the American Nurses Association (ANA) has strongly supported immunizations to protect the public from highly communicable and deadly diseases such as measles, mumps, diphtheria, pertussis, and influenza (ANA, 2019; ANA, 2015; ANA, 2006), and has supported mandatory vaccination policies for registered nurses and health care workers under certain circumstances. Considering several recent and significant measles outbreaks in the United States, as well as the global pandemic of COVID-19, ANA has reviewed our current position statement for clarity and intent and examined present best practices and recommendations from the broader health care community. Based on that review and the recommendation of ANA's 2019 Membership Assembly, a revised and updated position statement was developed to clarify ANA's position and incorporate current best practices (CDC, 2019a).

II. STATEMENT OF ANA POSITION

Effective protection of the public health mandates that all individuals receive immunizations against vaccine-preventable diseases according to the best and most current evidence outlined by the Centers for Disease Control and Prevention (CDC) and the Advisory Committee on Immunization Practices (ACIP). All health care personnel (HCP), including registered nurses (RNs), should be vaccinated according to current recommendations for immunization of HCP by the CDC and Association for Professionals in Infection Control and Epidemiology (APIC).

ANA does not support any exemptions from immunization other than for medical contraindications. All requests for medical exemption from vaccination should be accompanied by documentation from the appropriate authority to support the request. Recertification of the medical exemption is an annual obligation. Individuals

exempted from vaccination may be required to adopt measures or practices in the workplace to reduce the chance of disease transmission. Employers should offer reasonable accommodations in such circumstances. ANA does not endorse philosophical or religious exemptions.

ANA strongly recommends that registered nurses be vaccinated against COVID-19. However, we recognize that without a well-established safety profile, the risk benefit analysis could be such that nurses choose not to be vaccinated. We do not believe nurses should be retaliated against if they do not choose to be vaccinated.

As novel diseases emerge, such as COVID-19, ANA supports ongoing research and development of safe, easily accessed vaccinations for these public health threats. Vaccinations must be available to everyone.

III. BACKGROUND

In 2015, ANA revised our immunization and vaccine policy statement to address the culture of vaccines that were prevalent at that time (ANA, 2015). The contemporary evolving climate and growth in vaccination hesitancy and noncompliance coupled with outbreaks of once eradicated and vaccine-preventable illnesses emphatically indicate a narrower approach is necessary for public safety.

The CDC reported 1,241 confirmed cases of measles from January 1 to September 12, 2019, in 31 states (CDC, 2019a). Individual reasons for decisions not to vaccinate vary and include concerns about the safety of a vaccination and/or its ingredients, religious or philosophical objections, fear of side effects and associated illness, and lack of urgency or priority, explained in part by the supposition that herd immunity will protect the unvaccinated from infection (LaVail & Kennedy, 2012; CDC, 2016; CDC, 2018a). Unvaccinated adults and children are susceptible to the transmission of the highly contagious measles virus, but of those, young children under the age of 5, adults over 20 years, pregnant women, and those with compromised immune systems assume the most considerable risk for contraction and complications of the disease (CDC, 2019b,c).

The measles virus is one of the most contagious viral illnesses due to its high rate of reproduction. Its virulence is such that it can remain in a room for up to two hours after an infected individual has coughed or sneezed and, each affected person can transmit measles to others from four days before through four days after the rash appears to upwards of 12 to 18 other individuals (CDC, 2019b; Lambert, 2019). It is because of this virulence that herd immunity or community immunity must remain at approximately 90% to 95%, however, if an unvaccinated person encounters another person that is infected with the virus, they too will become infected, regardless of herd immunity percentages (Oxford Vaccine Group, 2016).

Complications from measles are not limited to a simple rash and fever; some may also develop severe ear infections, respiratory and neurologic issues, pneumonia, subacute sclerosing panencephalitis (SSPE), and immune system amnesia (CDC, 2019c). Subacute sclerosing panencephalitis is a progressive neurological disease that is nearly always fatal

and may develop up to 10 years after the initial clearance of the virus (Jenco, 2019; Liko, 2016; NIH, 2019). Measles induced immune amnesia renders the patient vulnerable to secondary infections from illnesses they may have already overcome in the past, including those they have already received vaccinations against, requiring revaccination (Griffin, 2019).

The Public

The reduction or elimination of vaccine-preventable diseases is one of the greatest public health achievements of the United States (CDC, 2011). Current evidence and research illustrate that immunizations are essential to the primary prevention of disease from infancy throughout adulthood. According to the current recommendations of the CDC and ACIP, effective vaccination programs for children and adults promote and maintain the health of the populace, and include obtaining the annual seasonal influenza immunization, another vaccine-preventable disease. Between 2010 and 2018, the number of deaths annually from influenza is estimated to be from 12,000 to 79,000, with many more people hospitalized due to the severity of symptoms (CDC, 2018b).

Registered Nurses

As stated in the Code of Ethics for Nurses (ANA, 2015, p. 19), RNs have an ethical responsibility to “model the same health maintenance and health promotion measures that they teach and research...,” which includes immunization against vaccine-preventable diseases.

Immunization of HCP

Many states do not have legislation requiring vaccination of HCP. Therefore, the responsibility falls upon hospitals and other health care facilities to develop and enforce their own policies. Evidence of vaccination against highly communicable diseases such as mumps, measles, and rubella, as well as an annual influenza immunization, is often a prerequisite of employment in health care facilities.

The most successful vaccination program is the voluntary influenza vaccination programs for HCP's, established in 1984 upon the CDC's recommendation for all health care workers to receive the influenza vaccination. However, immunization rates amongst health care workers achieved only 78 percent coverage during the most recent 2017-2018 flu season and signal that improvement is needed (CDC, 2018a). In sharp contrast, facilities that have adopted mandatory influenza vaccination policies and programs have been highly successful (Rakita, Hagar, & Crome, 2010; Galanakis, Jansen, & Lopalco, 2013; Yasmin, 2013). Such adoption rates emphasize the need for mandatory immunization programs where voluntary programs fail in order to promote and maintain the health of the public.

All individuals may apply for a medically contraindicated vaccination exemption that meets standard criteria. Formal documentation from an appropriate authority such as a health care provider must accompany an exemption request that details the condition that compels the request. This medical exemption needs to be recertified annually.

If an RN or other health care worker is medically exempt from vaccination, the health care facility will have the discretion to determine what steps, if any, unvaccinated RNs or health care workers must take to reduce the risk of transmitting disease to patients, while

complying with all local, state and national regulations. Refusal by RNs or other health care workers to: (a) participate in a mandatory vaccination program, or (b) if medically exempted from vaccination, to follow steps to reduce the risk of disease transmission, may result in disciplinary action by the employer and jeopardizes patient and employee health.

IV. RESPONSIBILITIES OF REGISTERED NURSES AND EMPLOYERS

Successful immunization policies and programs require open communication and transparency between RNs and employers. RNs are responsible for providing patients with evidence-based information to support and promote optimal health and wellness, and for leading by example by participating in health-oriented activities such as immunizations to the greatest possible extent. “Public trust will be damaged if [nurses] appear to suggest vaccines for others but avoid them for themselves” (Galanakis, Jansen, & Lopalco, 2013).

Nurses must advocate for, educate, and advise patients to adhere to vaccination schedules recommended by the CDC and ACIP, explaining their need and public health implications. Patients’ fears and questions regarding immunizations should be acknowledged, and then answered with evidence-based information. Nurses must emphasize that recommended immunizations are safe and necessary. Please see sections V and VI below for resources to assist with this messaging.

Employers of registered nurses are responsible for establishing a culture of safety and implementing policies that improve the health of their workers. The Infectious Diseases Society of America, the Society for Healthcare Epidemiology of America, and the Pediatric Infectious Diseases Society recommend that immunizations be provided in the work setting at no cost to HCP to ensure access to vaccinations, and that workplace immunization programs include appropriate education and training of staff (IDSA, SHEA, & PIDS, 2013).

If registered nurses are represented by a union or collective bargaining unit, the employer should work with the designated representative to clarify or resolve any issues that may arise associated with implementation of a mandatory vaccination policy or program.

V. SUMMARY OF RELEVANT ANA PUBLICATIONS AND INITIATIVES

Code of Ethics for Nurses

The Code of Ethics for Nurses (the Code) makes explicit the primary goals, values, and obligations of the profession. ANA believes that the Code is nonnegotiable and that each nurse has an obligation to uphold and adhere to its ethical precepts.

Five provisions within the Code speak to the obligation of registered nurses to act in a manner that is consistent with maintaining patient and personal health:

- **Provision 2:** The nurse’s primary commitment is to the patient, whether an individual, family, group, community, or population.
- **Provision 3:** The nurse promotes, advocates for, and protects the rights, health, and safety of the patient.

- **Provision 4:** The nurse has authority, accountability, and responsibility for nursing practice; makes decisions; and takes action consistent with the obligation to promote health and to provide optimal care.
- **Provision 5:** The nurse owes the same duties to self as to others, including the responsibility to promote health and safety, preserve wholeness of character and integrity, maintain competence, and continue personal and professional growth.
- **Provision 6:** The nurse, through individual and collective effort, establishes, maintains, and improves the ethical environment of the work setting and conditions of employment that are conducive to safe, quality health care.

ANA Immunize Website

The ANA Immunize website (<https://www.nursingworld.org/practice-policy/work-environment/health-safety/immunize/>) provides nurses and other health professionals with research, education, tools, advocacy information, and resources related to immunizations. The site also includes information by workplace setting and for special populations.

ANA Enterprise’s Healthy Nurse, Healthy Nation Grand Challenge (HNHN)

HNHN (www.hnhn.org) is a social movement to transform the health of the nation by first improving the health of nurses. It is free and open to all. It connects and engages nurses and partner organizations to act within five domains: physical activity, rest, nutrition, quality of life, and safety. HCP immunizations are an important topic in the safety domain.

VI. ADDITIONAL RELEVANT RESOURCES

Centers for Disease Control and Prevention. (2019.) Advisory Committee on Immunization Practices (ACIP). Available at <https://www.cdc.gov/vaccines/acip/index.html>

Centers for Disease Control and Prevention. (2019). Vaccines & Immunizations. Available at <https://www.cdc.gov/vaccines/index.html>

Centers for Disease Control and Prevention. Epidemiology and Prevention of Vaccine-Preventable Diseases. Hamborsky J, Kroger A, Wolfe S, eds. 13th ed. Washington D.C. Public Health Foundation, 2015.

Immunization Action Coalition. (2019). Importance of Vaccines. Available at <http://www.immunize.org/importance-of-vaccines/>

VII. REFERENCES

American Nurses Association. (2020). COVID-19 Vaccines [Principles; WebContent]. Retrieved November 17, 2020, from the ANA Enterprise website <https://www.nursingworld.org/practice-policy/work-environment/health-safety/disaster-preparedness/coronavirus/what-you-need-to-know/covid-19-vaccines/>.

American Nurses Association. (2019). Immunize [WebContent]. Retrieved September 23, 2019, from the ANA Enterprise website <http://www.anaimmunize.org>.

American Nurses Association. (2015). ANA Position statement on immunizations. Retrieved September 23, 2019, from the ANA Enterprise website <https://www.nursingworld.org/practice-policy/nursing-excellence/official-position-statements/id/immunizations/>.

American Nurses Association. (2015). Code of ethics for nurses with interpretive statements. Silver Spring, MD: Nursesbooks.org.

American Nurses Association. (2006). ANA Position statement on mercury in vaccines.

ANA Enterprise. (2019). Healthy Nurse, Healthy Nation Grand Challenge [WebContent]. Retrieved September 23, 2019, from www.hnhn.org.

Centers for Disease Control and Prevention. (2019a). Measles cases and outbreaks [WebContent]. Retrieved September 23, 2019, from Centers for Disease Control and Prevention website: <http://www.cdc.gov/measles/cases-outbreaks.html>.

Centers for Disease Control and Prevention. (2019b). Measles is Easily Transmitted [WebContent]. Retrieved September 20, 2019, from Centers for Disease Control and Prevention website: <https://www.cdc.gov/measles/transmission.html>.

Centers for Disease Control and Prevention. (2019c) Measles (Rubeola) Complications of Measles [WebContent]. Retrieved September 23, 2019 from Centers for Disease Control and Prevention website: <https://www.cdc.gov/measles/symptoms/complications.html>.

Centers for Disease Control and Prevention. (2018a). Influenza vaccination information for health care workers [WebContent]. Retrieved September 23, 2019, from Centers for Disease Control and Prevention website: <https://www.cdc.gov/flu/professionals/healthcareworkers.htm>.

Centers for Disease Control and Prevention. (2018b). Frequently asked questions about estimated flu burden [WebContent]. Retrieved September 23, 2019, from Centers for Disease Control and Prevention website: <https://www.cdc.gov/flu/about/burden/faq.htm>.

Centers for Disease Control and Prevention. (2016). Common Vaccine Safety Concerns [WebContent]. Retrieved September 23, 2019, from Centers for Disease Control and Prevention website: <https://www.cdc.gov/vaccinesafety/concerns/index.html>.

Centers for Disease Control and Prevention. (2011). Ten great public health achievements [WebContent]. Retrieved September 23, 2019 from Centers for Disease Control and Prevention website: <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6019a5.htm>.

Galanakis, E., Jansen, A., Lopalco, P. L., & Giesecke, J. (2013). Ethics of mandatory vaccination for healthcare workers. *Euro Surveill.*, 18(45), 20627.

Griffin, A. (2019). Measles and Immune Amnesia [WebContent]. Retrieved September 9, 2019, from ASM.org website: <https://www.asm.org/Articles/2019/May/Measles-and-Immune-Amnesia>.

IDSA, SHEA, and PIDS. (2013). IDSA, SHEA, and PIDS joint policy statement on mandatory immunization of health care personnel according to the ACIP-recommended vaccine schedule.

Jenco, M. (2019). Study: Fatal measles complication not as rare as previously thought. Retrieved September 20, 2019, from AAP News website: <https://www.aapublications.org/news/2016/10/28/Measles102816>.

Lambert, J. (2019). How Did We Get Here? 7 Things To Know About Measles [WebContent]. Retrieved September 20, 2019, from NPR.org website: <https://www.npr.org/sections/health-shots/2019/04/30/718820350/how-did-we-get-here-7-things-to-know-about-measles>.

LaVail, K., & Kennedy, A. (2012). The role of attitudes about vaccine safety, efficacy, and value in explaining parents' reported vaccination behavior. *Health Education and Behavior*, 40(5), 544-551.

LexisNexis. (2019). Jacobson v. Massachusetts – LexisNexis Casebriefs for Law School Class Prep [WebContent]. Retrieved September 20, 2019, from Community website: <https://www.lexisnexis.com/community/casebrief/p/casebrief-jacobson-v-massachusetts>.

Liko, J. (2016). Notes from the Field: Subacute Sclerosing Panencephalitis Death — Oregon, 2015. *MMWR. Morbidity and Mortality Weekly Report*, 65. <https://doi.org/10.15585/mmwr.mm6501a3>.

NIH. (2019). Subacute Sclerosing Panencephalitis Information Page | National Institute of Neurological Disorders and Stroke [WebContent]. Retrieved September 20, 2019, from Subacute Sclerosing Panencephalitis Information Page website: <https://www.ninds.nih.gov/Disorders/All-Disorders/Subacute-Sclerosing-Panencephalitis-Information-Page>.

Oxford Vaccine Group. (2016). Herd Immunity: How does it work? —Oxford Vaccine Group [WebContent]. Retrieved April 22, 2019, from Oxford Vaccine Group website: <https://www.ovg.ox.ac.uk/news/herd-immunity-how-does-it-work>.

Rakita, R. M., Hagar, B. A., Crome, P., & Lammert, J. K. (2010). Mandatory influenza vaccination of healthcare workers: A 5-year study. *Infection Control*, 31(09), 881-888.

.

Yasmin, S. (2013). Mandatory shots: should hospitals force health care workers to get the flu vaccine? [Scientific American Blog]. Retrieved September 23,2019, from <http://blogs.scientificamerican.com/guest-blog/mandatory-shots-should-hospitals-force-health-care-workers-to-get-the-flu-vaccine>.