

Summary of ANA's Delirium Survey

Delirium Work Group 2016



Purpose of Survey

To identify what resources are needed for <u>all RNs</u> in <u>all settings</u> to effectively prevent, identify, and manage delirium in different patient populations.

The results guided ANA's Delirium Work Group, both in resource/product development and in refining and clarifying delirium issues for nurses, patients, family members, and other health care providers.



Methodology

- A Qualtrics electronic survey was used to collect the data
- The survey was open from 11/17/15 thru 11/24/15
- There was a total of 1519 participants
- The survey was distributed via email request
- Survey distribution included ANA membership




Delirium Survey Results-Demographics

- 72% Have BSN or MSN
- 46% Clinical/staff nurse
- 34% Hospital acute care
- 53% Have been in nursing 21+ years
- 54% Like to receive information in a combination of modalities
 - Electronic
 - Print
 - In-person
 - *Percentages rounded to the nearest number



How often do you care for patient(s) with delirium?






Top 3 Challenges for Nurses in Preventing/Detecting/Managing Delirium

- Lack of knowledge about the risk factors, signs, symptoms, and treatment of delirium
- Lack of quick and easy-to-use screening tools
- Lack of continuity in assigning nurses to patients







Which tool or instrument do you routinely use to assess for delirium?

Tool/Instrument	Percentage
Confusion Assessment Method (CAM)	41.4%
Confusion Assessment Method for the ICU (CAM-ICU)	30.9%
Other	12.7%
Nursing Delirium Screening Scale (NuDESC)	10.7%
Intensive Care Delirium Screening Checklist (ICDSC)	2.4%
NEECHAM Confusion Scale	1.9%





Most common strategies implemented to prevent/detect/manage delirium

- 1. Physical activity (mobilization)
- 2. Sedatives
- 3. *a.) Non-sedative medications
 - *b.) No prevention strategies
- * Tied for the # 3 spot



My facility/employer/organization provides...







Top Products Needed (In Order)

- Top 3 that the nurse is most likely to use
 - Delirium prevention checklist or model assessment
 - Identification tools
 - Professional policy document
- Top 3 most needed for the profession
 - Delirium prevention checklist or model assessment
 - Professional policy document
 - Identification tools



Delirium Work Group, 2016

